Nulife

Nulife is a global medical disposable solutions company with its footprint in 80+ countries and its headquarters in Mumbai, India.

With a workforce of over 2000 people worldwide, Nulife annually sells more than 300 million medical devices.

Triple Safety

Nulife Triple Safety is a brand that is committed to offering affordable healthcare solutions.

Powered by cutting-edge innovation, Nulife Triple Safety has disrupted the status quo in its sector through cost-effective healthcare products over the years.



Nulife Triple Safety Sterile Latex Surgical Gloves (Powder-free) offer exceptional dexterity, enhance comfort and flexibility. The gloves have minimal extractable NR latex protein content, minimising the risk of skin allergies.

Furthermore, their micro-rough texture ensures a secure grip.



Special Features

- Soft and flexible
- Unique HiLeach process minimises protein content leading to lower allergies
- Optimum moisture content

TECHNICAL SPECIFICATION SHEET



Product Information

i iodact information	
Product Name	Nulife Triple Safety Sterile Latex Surgical Gloves (Powder-free)
Material	Natural Rubber Latex
Colour	Creamy White
Design	Hand-specific, micro-rough textured
Туре	Powder-free Latex Surgical Gloves
Sterilisation	Ethylene Oxide, Gamma upon request
Labelling	Shall comply with the corresponding labelling specification,
	customer requirement and ISO EN15223-1: 2021
Shelf Life	5 years from the date of manufacture
Storage Condition	Store in cool, clean & dry condition, away from heat & direct sunlight.
	Recommended storage condition: 5°C - 40°C
Certifications	CE under EU MDR 2017/745, ISO 13485: 2016
Shape	Anatomic
Cuff	Beaded
External Surface	Palm-textured
Internal Surface	Powder-free

Physical Dimension

Size	Minimum Length (mm)		Palm Width (mm)		Minimum Thickness (mm)		
	EN 455-2	MRK	EN 455-2	MRK	Location	ASTM D 3577	MRK
5.5	250	285-295	72±4	72-74		0.1	0.120
6	260	285-295	77±5	78-79	Cuff		
6.5	260	285-295	83±5	83-84	Palm	0.1	0.160
7	270	285-295	89±5	90-91			
7.5	270	285-295	95±5	96-97			
8	270	285-295	102±6	102-103		0.1	0.180
8.5	280	285-295	108±6	108-109	Finger		
9	280	285-295	114±6	114-115	-		

Physical Properties

Characteristics	Before Age	eing	After Ageing (100±2°C for 22±0.3 h/70°C for 7 days)		
	ASTM D 3577	MRK	ASTM D 3577	MRK	
Tensile Strength (MPA)	24 min	24.0 min	18 min	19 min	
Ultimate Elongation (%)	750 min	860 min	560 min	840 min	
Stress at 500% Elongation (MPA)	5.5 max	3.5 max	N/A	N/A	
Force at Break (N)	EN 455-2	MRK	EN 455-2	MRK	
	9.0 (min)	11 min	9.0 (min)	10.0 min	

Freedom from holes	Inspection Level G1 AQL 0.65			
Protein Content	Max. 200µg/dm² as per ASTM D 3577			
Powder content	Max. 2 mg/glove			
Packaging	10x50 = 500 Pairs			
CE-classification	Class II a			
Compliances	CE under EU MDR 2017/745, EN 455 parts 1, 2, 3 & 4, ASTM D 3577, IS 13422 ISO 13485, ISO 10282, 510(K)			
Notified body DNV Product Assurance AS (2460)				

Disclaimer:

1. The description and specifications on the website are correct at the time of publishing.

2. In pursuit of continual improvement, we reserve the right to change the design and specifications of any of our products without prior notice.

3. All photographs, product designs and trademarks represented in this website are the sole intellectual property of MRK HEALTHCARE PVT. LTD.