

Nulife

Nulife is a global medical disposable solutions company with its footprint in 80+ countries and its headquarters in Mumbai, India.

With a workforce of over 2000 people worldwide, Nulife annually sells more than 300 million medical devices.

Triple Safety

Nulife Triple Safety is a brand that is committed to offering affordable healthcare solutions.

Powered by cutting-edge innovation, Nulife Triple Safety has disrupted the status quo in its sector through cost-effective healthcare products over the years.



Nulife Ultra Triple Safety Beadless Gloves (Sterile, Pre-powdered)

Product Information

Ultra Nulife Triple Safety Beadless Gloves (Sterile, Pre-powdered) prioritise ultimate safety, sensitivity and comfort.

These gloves are thoughtfully packaged in peel-open pouches, with meticulous control over powder levels.



This not only facilitates effortless peeling for convenient use but also ensures the absolute sterility of the gloves.

The combination of these features enhances the overall user experience, making them a reliable and comfortable option for various applications.



Special Features

- Beadless cuff to prevent roll-down
- Ideal for long surgeries
- Enhanced comfort

TECHNICAL SPECIFICATION SHEET

Product Information

Product Name	Ultra Nulife Beadless Gloves (Pre-powdered, Sterile)
Material	Natural Rubber Latex
Colour	Creamy White
Shape	Anatomic
Cuff	Beadless
External Surface	Palm-textured
Internal Surface	Pre-powdered
Design	Hand-specific, micro-rough textured
Type	Pre-powdered Latex Surgical Gloves
Sterilisation	Ethylene Oxide, Gamma upon request
Labelling	Shall comply with the corresponding labelling specification, customer requirement and EN ISO 15223-1: 2021
Shelf Life	5 years from the date of manufacture
Storage Condition	Store in cool, clean & dry condition, away from heat & direct sunlight. Recommended storage condition: 5°C - 40°C
Certifications	CE under EU MDR 2017/745, ISO 13485: 2016

Physical Dimension

Size	Minimum Length (mm)		Palm Width (mm)		Minimum Thickness (mm)		
	EN 455-2	MRK	EN 455-2	MRK	Location	ASTM D 3577	MRK
5.5	Min 250	295-300	72±4	72-74	Cuff	0.1	0.200
6	260	295	77±5	78-79			
6.5	260	295	83±5	83-84			
7	270	295	89±5	90-91	Palm	0.1	0.210
7.5	270	295	95±5	96-97			
8	270	295	102±6	102-103	Finger	0.1	0.240
8.5	280	295	108±6	108-109			
9	280	295	114±6	114-115			

Physical Properties

Characteristics	Before Ageing		After Ageing (100±2°C for 22±0.3 h/70°C for 7 days)	
	ASTM D 3577	MRK	ASTM D 3577	MRK
Tensile Strength (MPA)	24 min	26.0 min	18 min	21 min
Ultimate Elongation (%)	750 min	900 min	560 min	860 min
Stress at 500% Elongation (MPA)	5.5 max	3.0 max	N/A	N/A
Force at Break (N)	EN 455-2	MRK	EN 455-2	MRK
	9.0 (min)	18	9.0 (min)	16 min

Freedom from holes	Inspection Level G1 AQL 0.65
Protein Content	Max. 200µg/dm ² as per ASTM D 3577
Powder Content	Max.15 mg/dm ²
Packaging	6x40 = 240 Pairs
CE-classification	Class II a
Compliances	CE under EU MDR 2017/745, EN 455 parts 1, 2, 3 & 4, ASTM D 3577, IS 13422 ISO 13485, ISO 10282,
Notified Body	DNV Product Assurance AS (2460)

Disclaimer:

1. The description and specifications on the website are correct at the time of publishing.
2. In pursuit of continual improvement, we reserve the right to change the design and specifications of any of our products without prior notice.
3. All photographs, product designs and trademarks represented in this website are the sole intellectual property of MRK HEALTHCARE PVT. LTD.